

## Certificate of Product Approval

Certificate Number: 1134d

Issue: 02

### DRAKA UK LIMITED

Chickenhall Lane  
Bishopstoke  
Eastleigh  
Hants  
SO50 6YU  
United Kingdom



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

#### Product(s)

Cable Types as listed below:  
FTP 120

#### Standard(s) (see Appendix for details)

BS 8491:2008  
EN 60754-1:2014  
BS EN 61034-2:2005

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.

Signed for BRE Global Ltd.

Karen Coull  
Certification Scheme Manager

7 March 2019  
Date of Issue

1 March 2013  
Date of First issue



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Garston, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB® is a registered trademark of the Building Research Establishment Ltd.



## Appendix to Certificate No: 1134d DRAKA UK LIMITED

Issue: 02

Product name				LPCB Ref. No.
FTP 120				1134d/01
Nominal csa of conductor (mm <sup>2</sup> )	Core Construction	BS 8491	EN 60754-1	BS EN 61034-2
2.5 <sup>(1)</sup>	7	120 min	<0.5% HCl	>60%
4.0 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
6.0 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
10 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
16 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
25 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
35 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
50 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
70 <sup>(1)</sup>	2 <sup>(2)</sup> & 3	120 min	<0.5% HCl	>60%

### Uo/U 600/1000V

#### Notes:

1. Stranded conductor only.
2. All 2 core cables have the blue core designed as a neutral conductor; only phase to earth voltage was applied.

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd.

Karen Coull  
Certification Scheme Manager

7 March 2019  
Date of Issue

1 March 2013  
Date of First issue



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Garston, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a registered trademark of the Building Research Establishment Ltd.




## Appendix to Certificate No: 1134d DRAKA UK LIMITED

Issue: 02

Product name				LPCB Ref. No.
FTP 120				1134d/02
Nominal csa of conductor (mm <sup>2</sup> )	Core Construction	BS 8491	EN 60754-1	BS EN 61034-2
70 <sup>(1)</sup>	4	120 min	<0.5% HCl	>60%
95 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
120 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
150 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
185 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
240 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
300 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%
400 <sup>(1)</sup>	2 <sup>(2)</sup> , 3 & 4	120 min	<0.5% HCl	>60%

### Uo/U 600/1000V

#### Notes:

1. Stranded conductor only.
2. All 2 core cables have the blue core designed as a neutral conductor; only phase to earth voltage was applied.

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd.

Karen Coull  
Certification Scheme Manager

7 March 2019  
Date of Issue

1 March 2013  
Date of First issue



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

BRE Global Ltd, Garston, Watford, WD25 9XX  
T: +44 (0)333 321 8811 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)

LPCB is a registered trademark of the Building Research Establishment Ltd.

